



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,645	11/21/2003	Jonathan H. Fischer	46-3	1260
7590 03/07/2006			EXAMINER	
Ryan, Mason & Lewis, LLP			RODRIGUEZ, GLENDA P	
Suite 205 1300 Post Road			ART UNIT	PAPER NUMBER
Fairfield, CT 06824			2651	

DATE MAILED: 03/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Commen	10/719,645	FISCHER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Glenda P. Rodriguez	2651				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  16(a). In no event, however, may a reply be time  11 apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONET	J. ely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 08 De	ecember 2005.					
· · · ·	action is non-final.					
	· —					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-20</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subjected to:						
ordinates are subject to restriction under	Cicotion requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1.☐ Certified copies of the priority documents	s have been received.					
•		on No				
<ul> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage</li> </ul>						
·		a in this National Stage				
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) X Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  5) Notice of Informal Patent Application (PTO-152)						
Paper No(s)/Mail Date	6)  Other:					

#### **DETAILED ACTION**

# Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1 and 8 are rejected under 35 U.S.C. 102(e) as being anticipated by Barker (US Patent No. 6, 571, 516).

Regarding Claim 1, Barker teaches a sample and hold circuit (Fig. 2A)

At least one capacitive element for retaining a charge, said at least one capacitive element connected to a node between said input and said output (See Fig. 2A, wherein Capacitive element 81-1 is connected through the positive input node and to switch 60-1);

At least one input switch for selectively connecting said at least one capacitive element to said input (Element 60-1);

At least one output switch for selectively connecting said at least one capacitive element to said output (See switch 16-1 which is connected to the output node of Capacitive element 80-1);

And an amplifier connected to said node, wherein said amplifier has an offset voltage and wherein a voltage drop across at least one of said input and output

switches is limited to said offset voltage (See Amplifiers 60-1 and OTA 11 along with Col. 3, L. 16-20 and Col. 8, L. 15-34, wherein they teach using the sample and hold circuitry to control offsets caused by irregular transitions in current and/or voltage.).

Method claim (8) is drawn to the method of using the corresponding apparatus claimed in claim (1). Therefore method claim (8) corresponds to apparatus claim (1) and is rejected for the same reasons of anticipation as used above.

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 3, 4 and 10, 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barker in view of Beauducel et al (US Patent No. 4, 352, 070).

Regarding Claims 3 and 10, Baker, teaches all the limitations of Claims 1 and 8. However, Baker does not explicitly teach wherein at least one of said input and output switches has a leakage effect represented by a resistor in parallel with said input or output switch and a voltage drop across said resistor is limited to said offset voltage. Beauducel et al. does teach a resistor placed in parallel as disclosed in the sample and hold circuit of Fig. 4, Resistor R<sub>1</sub>. It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify Barker's invention with the teaching of Beauducel et al. in order to provide a passive compensation to the circuit (Col. 1, L. 65-67 of Beauducel et al.).

Application/Control Number: 10/719,645

Regarding Claims 4 and 11, Barker teaches all the limitations of Claims 1 and 8. However, Barker does not explicitly teach wherein further comprising at least two switches associated with at least one of said input and output switches, wherein said at least two switches selectively connect at least one of said input and output switches to an output of said amplifier in a hold mode or standard voltages in a write mode to reduce leakage effects due to parasitic diodes in said at least one of said input and output switches. Beauducel et al. teaches two switches found between the input and output nodes in order to hold a voltage amount (See Col. 3, L. 1-20 of Beauducel et al.). It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify Barker's invention with the teaching of Beauducel et al.).

- 5. Claims 6 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barker in view of Mills et al. (US Patent No. 5, 172, 117). Barker teach all the limitations of Claims 1 and 8, respectively. However, Barker does not explicitly teach wherein the hold time is 200 microseconds. Mills et al. teaches a sample and hold circuit in which its hold time is 200 microseconds (Col. 4, L. 35-40 of Mills et al.). It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify Barker's invention with the teaching of Mills et al. in order to acquire a precise data acquisition (Col. 2, L. 45-50 of Mills et al.).
- 6. Claims 2, 5, 9, 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barker in view of Sandusky et al. (US Patent No. 5, 825, 571).

Claim (14) have limitations similar to those treated in the above rejection(s), and are met by the references as discussed above. Claims (14) however also recites the following limitations..."a magneto resistive head in a disc drive". However, Barker does not explicitly teach wherein the sample and hold circuit is for a disc drive. Sandusky et al. teaches a sample and hold circuit for a preamplifier in a disk drive apparatus (Col. 6, L. 6-24). It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify Barker's invention with the teaching of Sandusky et al. in order to inhibit AC transients (See Abstract Sandusky et al.).

Regarding Claims 2, 5, 9 and 15, Barker teach the limitations of Claims 1 and 8, respectively. However, Barker does not explicitly teach wherein the sample and hold circuit is for a disc drive. Sandusky et al. teaches a sample and hold circuit for a preamplifier in a disk drive apparatus (Col. 6, L. 6-24). It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify Barker's invention with the teaching of Sandusky et al. in order to inhibit AC transients (See Abstract Sandusky et al.).

7. Claims 16, 17, 18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barker and Sandusky et al. as applied to claim 14 above, and further in view of Beauducel et al. (US Patent No. 4, 352, 070).

Regarding Claims 16, the combination of Barker and Sandusky et al. teaches all the limitations of Claim 14. However, Barker does not explicitly teach wherein at least one of said input and output switches has a leakage effect represented by a resistor in parallel with said input or output switch and a voltage drop across said resistor is limited to said offset voltage. Beauducel et al. does teach a resistor placed in parallel as disclosed in the sample and hold

Art Unit: 2651

circuit of Fig. 4, Resistor R<sub>1</sub>. It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify the combination's invention with the teaching of Beauducel et al. in order to provide a passive compensation to the circuit (Col. 1, L. 65-67 of Beauducel et al.).

Regarding Claims 17, the combination of Barker and Sandusky et al. teaches all the limitations of Claim 14. However, Barker does not explicitly teach wherein further comprising at least two switches associated with at least one of said input and output switches, wherein said at least two switches selectively connect at least one of said input and output switches to an output of said amplifier in a hold mode or standard voltages in a write mode to reduce leakage effects due to parasitic diodes in said at least one of said input and output switches. Beauducel et al. teaches two switches found between the input and output nodes in order to hold a voltage amount (See Col. 3, L. 1-20 of Beauducel et al.). It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify the combination's invention with the teaching of Beauducel et al.).

Regarding Claim 20, the combination of Barker and Sandusky et al. teaches all the limitations of Claim 14. However, Barker does not distinctively teach wherein at least one of the switches reduces leakage in the sample and hold circuit. Beauducel et al. teaches at least one of the switches reduces leakage in the sample and hold circuit in Col., L. 1-20 in order to control the voltage amount. It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify the combination's invention with the teaching of

Beauducel et al. in order to provide a passive compensation to the circuit (Col. 1, L. 65-67 of Beauducel et al.).

8. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Barker and Sandusky et al. as applied to claim 14 above, and further in view of Mills et al. (US Patent No. 5, 172, 117). The combination of Barker and Sandusky et al. teach all the limitations of Claims 1 and 8, respectively. However, Barker does not explicitly teach wherein the hold time is 200 microseconds. Mills et al. teaches a sample and hold circuit in which its hold time is 200 microseconds (Col. 4, L. 35-40 of Mills et al.). It would have been obvious to a person of ordinary skill in the art, at the time the invention was made, to modify the combination's invention with the teaching of Mills et al. in order to acquire a precise data acquisition (Col. 2, L. 45-50 of Mills et al.).

#### Response to Arguments

9. Applicant's arguments with respect to claims -20 have been considered but are moot in view of the new ground(s) of rejection.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenda P. Rodriguez whose telephone number is (571) 272-7561. The examiner can normally be reached on Monday thru Thursday: 7:00-5:00; alternate Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne Young can be reached on (571) 272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/719,645

Art Unit: 2651

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

2/21/06.

THANG V.TRAN